

Product Catalog List



November 2007

General Product Information

All Rockwell Software products are designed to run on IBM and compatible personal computers unless otherwise specified.

For technical support and products updates, Rockwell Automation offers TechConnect support programs that are scalable for your business requirements. Service levels range from electronic to priority response with 24x7 uplift options. Online support resources (including reset activation codes) are available at <http://www.rockwellautomation.com/support>. For more information or to order support, contact your local Rockwell Automation distributor.

Shipping & Handling

A standard \$25 shipping and handling fee will be added to all new product orders shipped within the continental U.S.

All orders will be shipped via Federal Express Two-day service unless otherwise specified. If Priority shipping is requested, it will be reflected in higher shipping cost.

Additional shipping and handling charges will be applied where appropriate.

PLEASE NOTE: Catalog numbers in this document have been updated to reflect price increases from August 28, 2007.

Standard Quantity Discounts

Quantity discounts are NO LONGER AVAILABLE.

Discount Schedules for Rockwell Software Products

All discount schedules have changed. (See page 6 for the migration table.)

Product Returns

If it should be necessary to return or exchange items, please contact your Rockwell Automation Distributor or Sales Office. All prices are in U.S. dollars and are subject to change without prior notice.

Orders must be placed through your local Rockwell Automation Sales Office or Rockwell Automation Distributor.

This booklet is for reference only and if there is a discrepancy between this and what is in Passport, please use the information from Passport.

Contents

| | |
|---|----|
| Branding – Rockwell Software and FactoryTalk | 6 |
| Discount Schedule Table | 6 |
| FactoryTalk® Services Platform Adoption Table | 7 |
| Design & Configuration | 9 |
| Arena® | 9 |
| RSLadder™ | 9 |
| RSLinx® Classic / RSLinx® Enterprise | 10 |
| RSLogix™ Architect | 10 |
| RSLogix™ 5 | 10 |
| RSLogix™ 500 | 11 |
| RSLogix™ 5000 | 12 |
| RSLogix™ Bundles | 13 |
| RSNetWorx™ | 14 |
| Communication Bundles | 15 |
| RSTune® and RSLoop Optimizer™ | 15 |
| RSFieldbus™ Configuration Software | 15 |
| Production Management | 17 |
| FactoryTalk® Batch | 17 |
| FactoryTalk Batch Servers | 17 |
| RSBizWare™ BatchCampaign™ | 17 |
| FactoryTalk® Historian Classic for Batch* | 18 |
| FactoryTalk® ProductionCentre | 18 |
| FactoryTalk® ProductionCentre | 18 |
| FactoryTalk® ProductionCentre Applications | 18 |
| FactoryTalk® ProductionCentre Data Management | 19 |
| FactoryTalk® ProductionCentre Reporting and Analytics | 19 |
| FactoryTalk® Scheduler | 19 |
| FactoryTalk® Scheduler Professional Edition | 19 |
| FactoryTalk® Scheduler Viewer | 19 |
| FactoryTalk® Scheduler Standard Edition | 19 |

| | |
|---|----|
| Data Management | 21 |
| FactoryTalk® Gateway | 21 |
| FactoryTalk® Historian Site Edition | 21 |
| FactoryTalk® Historian Site Edition Servers | 22 |
| FactoryTalk® Historian Client Tools | 22 |
| Third-Party Historian Interfaces | 22 |
| FactoryTalk® Historian Classic | 23 |
| FactoryTalk® Historian Classic Server | 24 |
| FactoryTalk® Historian Classic Authoring Client | 24 |
| FactoryTalk® Metrics/FactoryTalk® Historian Classic Runtime Client Licenses | 24 |
| FactoryTalk® Integrator | 25 |
| FactoryTalk® Transaction Manager | 25 |
| FactoryTalk® Transaction Manager Professional Version | 26 |
| FactoryTalk® Transaction Manager Standard Version | 26 |
| FactoryTalk® Transaction Manager Connectors & Gateways | 26 |
| Quality & Compliance | 27 |
| Corrective Action/Preventive Action (CAPA) | 27 |
| RSBizWare™ eProcedure® | 27 |
| Asset Management | 29 |
| FactoryTalk® AssetCentre | 29 |
| RSMACC™ Server and Client | 30 |
| RSMACC™ Enterprise Online Condition Monitor | 30 |
| Emonitor® | 30 |
| Emonitor® - Asset Health Module | 31 |
| Emonitor® Web Client | 31 |
| Fieldcare Hart | 31 |
| RSEnergyMetrix® | 32 |
| RSPower™32 | 32 |
| RSPower™Plus | 33 |
| Performance & Visibility | 35 |
| FactoryTalk® Metrics LE | 35 |
| FactoryTalk® Metrics LE Servers | 35 |
| FactoryTalk® Metrics LE Authoring Clients | 36 |

| | |
|---|-----------|
| FactoryTalk® Metrics | 36 |
| FactoryTalk® Metrics Server | 36 |
| FactoryTalk® Metrics Authoring Client | 36 |
| FactoryTalk® Metrics / FactoryTalk® Historian Classic Runtime Clients | 37 |
| FactoryTalk® Portal | 37 |
| FactoryTalk® Machine Edition (ME) | 38 |
| FactoryTalk® View Machine Edition Station Runtime | 38 |
| FactoryTalk® View Studio | 38 |
| FactoryTalk® View Site Edition (SE) | 38 |
| FactoryTalk® View Site Edition Server | 38 |
| FactoryTalk® View Site Edition Client | 39 |
| FactoryTalk® View Site Edition Station | 39 |
| KEPServer Enterprise | 39 |
| RSView®32 | 40 |
| RSView®32 Messenger Pro | 41 |
| RSView®32 Active Display System | 41 |
| RSView®32 WebServer | 41 |

Branding – Rockwell Software and FactoryTalk

| Current Product Name | New Product Name | Edition | Production Discipline |
|----------------------------------|----------------------------------|-----------------|--------------------------------|
| RSLogix™ 5000 | TBD | | Design & Configuration |
| RSLogix™ 5 / RSLogix™ 500 | RSLogix™ 5 / RSLogix™ 500 | | Design & Configuration |
| RSLinx® | RSLinx® | | Design & Configuration |
| RSLogix™ Architect | TBD | | Design & Configuration |
| RSNetWorx™ | TBD | | Design & Configuration |
| RSLogix™ Emulate | TBD | | Design & Configuration |
| Arena® | TBD | | Design & Configuration |
| RSBizWare™ Historian | FactoryTalk® Historian Classic | | Data Management |
| <i>New</i> | FactoryTalk® Historian SE | | Data Management |
| RSOPC™ Gateway™ | FactoryTalk® Gateway | | Data Management |
| <i>New</i> | FactoryTalk® Integrator | | Data Management |
| RSSql™ | FactoryTalk® Transaction Manager | | Data Management |
| RSBizWare™ PlantMetrics™ | FactoryTalk® Metrics | | Performance & Visibility |
| RSView® Machine Edition | FactoryTalk® View | Machine Edition | Performance & Visibility |
| RSView® Supervisory Edition | FactoryTalk® View | Site Edition | Performance & Visibility |
| RSView® Studio | FactoryTalk® View | Studio Edition | Performance & Visibility |
| <i>New</i> | FactoryTalk® Portal | | Performance & Visibility |
| RSView®32 | RSView®32 | | Performance & Visibility |
| RSMACC™ Change Management | FactoryTalk® AssetCentre | | Asset Management |
| RSBizWare™ Batch | FactoryTalk® Batch | | Production Management |
| RSBizWare™ Scheduler® | FactoryTalk® Scheduler | | Production Management |
| RSAdvantage™ | FactoryTalk® ProductionCentre | | Production Management |
| Propack Data™ PMX | RS PMX™ MES | | Production Management |
| Propack Data™ PMX CTM | RS PMX™ CTM | | Quality & Compliance |
| FactoryTalk® Automation Platform | FactoryTalk® Services Platform | | FactoryTalk® Services Platform |
| | FactoryTalk® Live Data | | FactoryTalk® Services Platform |
| RSAssetSecurity™ | FactoryTalk® Security | | FactoryTalk® Services Platform |
| | FactoryTalk® Audit | | FactoryTalk® Services Platform |
| | FactoryTalk® Directory | | FactoryTalk® Services Platform |
| | FactoryTalk® Diagnostics | | FactoryTalk® Services Platform |
| | FactoryTalk® Alarms and Events | | FactoryTalk® Services Platform |
| | FactoryTalk® High Availability | | FactoryTalk® Services Platform |

Discount Schedule Table

| Previous D/S Code | New D/S Code |
|-------------------|--------------|
| SA | E5, E3 |
| SP | D7, E3 |
| PG | E2, E3 |
| NT | C7 |



FactoryTalk® Services Platform Adoption Table

| FactoryTalk Services Platform | | | | | | | | |
|---|---------------------------------|------------|-----------|----------|-------------|-------|-----------|-----------------|
| The FactoryTalk® Services Platform delivers value. It is a shared set of common features that enables superior interoperability and commonality between applications for reduced engineering, operations and training costs, while extending the life of existing investments. The FactoryTalk Services Platform provides a solid foundation for today and a path for the future. | | | | | | | | |
| | | Activation | Directory | Security | Diagnostics | Audit | Live Data | Alarms & Events |
| | FactoryTalk AssetCentre | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| | FactoryTalk Batch | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | FactoryTalk Scheduler | ✓ | ✓ | ✓ | | | | |
| | FactoryTalk ProductionCentre | | ✓ | ✓ | | | ✓ | |
| | FactoryTalk Gateway | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | FactoryTalk Historian SE | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | FactoryTalk Historian Classic | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | FactoryTalk Transaction Manager | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | FactoryTalk Metrics | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | FactoryTalk Portal | | ✓ | ✓ | | | | |
| | FactoryTalk View ME | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | FactoryTalk View SE | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | RSView32 | ✓ | ✓ | | ✓ | | ✓ | |
| | Arena | ✓ | | | | | | |
| | RSLinX Classic | ✓ | ✓ | ✓ | ✓ | | ✓ | |
| | RSLinX Enterprise | ✓ | ✓ | ✓ | ✓ | | ✓ | |
| | RSLogix 5 | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| | RSLogix 500 | ✓ | ✓ | ✓ | ✓ | ✓ | | |
| | RSLogix 5000 | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| | RSNetWorx | ✓ | | | ✓ | | | |
| | RSLogix Architect | ✓ | | | ✓ | ✓ | | |



Design & Configuration

Arena®

Arena simulation software is not sold directly by the Rockwell Automation sales channel. For inquiries or ordering information, please contact Arena sales at (1) 724-741-4000.

| Catalog Number | Description |
|----------------|---|
| 9502AR3DPENE | Arena 3DPlayer (Node-locked) |
| 9502AR3DPENF | Arena 3DPlayer (Concurrent) |
| 9502ARBEENE | Arena Basic Edition (Node-locked) |
| 9502ARCCENE | Arena Contact Center (Node-locked) |
| 9502ARCCENF | Arena Contact Center (Concurrent) |
| 9502ARCCTENE | Arena Contact Center Template (Node-locked) |
| 9502ARCCTENF | Arena Contact Center Template (Concurrent) |
| 9502ARESENE | Arena Enterprise Suite (Node-locked) |
| 9502ARESENF | Arena Enterprise Suite (Concurrent) |
| 9502ARES1TENF | 1-Yr Lease Enterprise Suite 10 User (Concurrent) |
| 9502ARES30TENF | 30-Day Rental Enterprise Suite 1 User (Concurrent) |
| 9502ARFAENE | Arena Factory Analyzer (Node-locked) |
| 9502ARFAENF | Arena Factory Analyzer (Concurrent) |
| 9502ARFA1TENF | 1-Yr Lease Factory Analyzer 10 User (Concurrent) |
| 9502ARPEENE | Arena Professional Edition (Node-locked) |
| 9502ARPEENF | Arena Professional Edition (Concurrent) |
| 9502ARPE1TENF | 1-Yr Lease Professional Edition 10 User (Concurrent) |
| 9502ARPEDLENF | Arena Professional Edition Educational Lab Package (Concurrent) |
| 9502ARPEDRENE | Arena Professional Edition Research Package (Node-locked) |
| 9502AROPTQENE | Arena OptQuest (Node-locked) |
| 9502ARPTENE | Arena Packaging Template (Node-locked) |
| 9502ARPTENF | Arena Packaging Template (Concurrent) |
| 9502ARRN1ENE | Arena Runtime (Single) |
| 9502ARRNMENF | Arena Runtime (Multiple) |
| 9502ARRTENE | Arena RealTime (Node-locked) |
| 9502ARRTENF | Arena RealTime (Concurrent) |

RSLadder™

Requires the use of Microsoft® Visual Basic (Version 4.0 or later) or other ActiveX® Control container.

| Catalog Number | Description |
|----------------|---|
| 9324-RL5LDRENE | RSLadder 5 Includes: RSLadder 5 (ActiveX control for monitoring PLC5 applications) and RSLinx Lite communication drivers" |
| 9324-RL0LDRENE | RSLadder 500 Includes: RSLadder 500 (ActiveX control for monitoring SLC 500 and MicroLogix applications) and RSLinx Lite communication drivers |

RSLinx® Classic / RSLinx® Enterprise

RSLinx Classic is used for connecting RSLogix and RSNetWorx products to Rockwell Automation Networks and Devices. RSLinx Classic is also an OPC server that allows open data collection connectivity to RSVIEW32 and to third-party applications.

RSLinx Enterprise provides unparalleled connectivity between FactoryTalk products and Rockwell Automation networks and controllers. RSLinx Enterprise is optimized for Logix 5000 controllers. RSLinx Enterprise is the data server for FactoryTalk View SE, FactoryTalk View ME, FactoryTalk Transaction Manager, FactoryTalk Historian and FactoryTalk Metrics applications. It also provides connectivity for FactoryTalk Alarms and Events and PanelView Plus and VersaView hardware platforms.

Note that RSLinx Classic Professional (9355-WABENE) has been replaced with RSLinx Classic Gateway (9355-WABGWENE)

| Catalog Number | Description |
|----------------|----------------------------|
| 9355-RSLETENE | RSLinx Enterprise |
| 9355-WABSNENE | RSLinx Classic Single Node |
| 9355-WABOEMENE | RSLinx Classic OEM, CD |
| 9355-WABGWENE | RSLinx Classic Gateway, CD |

RSLogix™ Architect

RSLogix Architect software gives you a single place to manage all RSLogix5000™-based controller configurations. Simple to use, it helps you efficiently manage controller configuration files, network configurations, and produced & consumed tag relationships.

| Catalog Number | Description |
|------------------|--|
| 9326-LGXARCHENE | RSLogix Architect |
| 9324-RLD700NXENE | RSLogix 5000 Professional Edition (RSLogix Architect comes standard with RSLogix 5000 Pro) |

RSLogix™ 5

| Catalog Number | Description |
|------------------|---|
| 9324-RL5700NXENE | RSLogix 5 Professional Edition Offline/Online Programming Includes: <ul style="list-style-type: none"> • RSLogix 5 Professional Edition (with Microsoft VBA) • 9357-CNETL3 (RSNetWorx for ControlNet) • 9357-DNETL3 (RSNetWorx for DeviceNet) • 9357-ENETL3 (RSNetWorx for EtherNet/IP) • 9310-WE5200E (RSLogix Emulate 5) • RSLinx Lite communication drivers |
| 9324-RL5300ENE | RSLogix 5 Standard Edition Offline/Online Programming Includes: <ul style="list-style-type: none"> • RSLogix 5 Standard Edition • RSLinx Lite communication drivers |
| 9310-WE5200E | RSLogix Emulate 5 PLC-5 Processor Emulation Includes: RSLinx Lite communication drivers |

| | |
|----------------|--|
| 9324-RL5350ENE | RSLogix 5 / RSLogix Emulate 5 Bundle Includes: <ul style="list-style-type: none"> • 9324-RL5300ENE (RSLogix 5 Standard) • 9310-WE5200E (RSLogix Emulate 5) • RSLinx Lite communication drivers |
| 9324-RL5300ENF | RSLogix 5 Standard Concurrent (English) Includes: RSLogix 5 Standard Edition and RSLinx Lite communication drivers |

RSLogix™ 500

| Catalog Number | Description |
|------------------|--|
| 9324-RL0700NXENE | RSLogix 500 Professional Edition Offline/Online Programming Includes: <ul style="list-style-type: none"> • RSLogix 500 Professional Edition (with Microsoft VBA) • 9357-CNETL3 (RSNetWorx for ControlNet) • 9357-DNETL3 (RSNetWorx for DeviceNet) • 9357-DNETL3 (RSNetWorx for DeviceNet) • 9357-ENETL3 (RSNetWorx for EtherNet/IP) • 9310-WE0200E (RSLogix Emulate 500) • RSLinx Lite communication drivers |
| 9324-RL0300ENE | RSLogix 500 Standard Offline/Online Programming Includes: RSLogix 500 Standard Edition and RSLinx Lite communication drivers |
| 9324-RL0100ENE | RSLogix 500 Starter Offline/Online Programming Includes: RSLogix 500 Starter Edition and RSLinx Lite communication drivers |
| 9310-WE0200E | RSLogix Emulate 500™ SLC 500 Processor Emulation Includes: RSLinx Lite communication drivers |
| 9324-RL0350ENE | RSLogix 500 / RSLogix Emulate 500 Bundle Includes: <ul style="list-style-type: none"> • 9324-RL0300ENE (RSLogix 500 Standard Edition) • 9310-WE0200E (RSLogix Emulate 500) • RSLinx Lite communication drivers |
| 9324-RL0300NXENE | RSLogix 500 / RSNetWorx for ControlNet and DeviceNet Bundle Includes: <ul style="list-style-type: none"> • 9324-RL0300ENE (RSLogix 500 Standard Edition) • 9357-CNETL3 (RSNetWorx for ControlNet) • 9357-DNETL3 (RSNetWorx for DeviceNet) • RSLinx Lite communication drivers |
| 9324-RL0300ENF | RSLogix 500 Standard Concurrent Includes: RSLogix 500 Standard Concurrent and RSLinx Lite communication drivers |
| 9324-RL0100ENF | RSLogix 500 Starter Concurrent Includes: RSLogix 500 Starter Edition and RSLinx Lite communication drivers |

RSLogix™ 5000

| Catalog Number | Description |
|------------------|--|
| 9324-RLD700NXENE | <p>RSLogix 5000 Professional Edition</p> <p>Includes:</p> <ul style="list-style-type: none"> • RSLogix 5000 Professional Edition • 9355 - WABOEMENE (RSLinx Classic OEM) • 9357-CNETL3 (RSNetWorx for ControlNet) • 9357-DNETL3 (RSNetWorx for DeviceNet) • 9357-ENETL3 (RSNetWorx for EtherNet/IP) • 9324-RLDMLPE (RSLogix 5000 Multi-Language Pack option (FBD, SFC, & ST)) • 9324-RLDGLXE (RSLogix 5000 GuardLogix Safety Editor) • 9323-ATUNEENE (RSLogix 5000 PIDE Autotune) • 9310-WED200ENE (RSLogix Emulate 5000) • 9324-RLDPME (RSLogix 5000 PhaseManager) • 9326-LGXARCHENE (RSLogix Architect) |
| 9324-RLD300ENE | <p>RSLogix 5000 Standard Offline/Online Programming</p> <p>Includes: RSLogix 5000 Standard Edition and RSLinx Lite communication drivers</p> |
| 9324-RLD300NXENE | <p>RSLogix 5000 / RSNetWorx for ControlNet, DeviceNet and EtherNet/IP Bundle</p> <p>Includes:</p> <ul style="list-style-type: none"> • 9324-RLD300ENE (RSLogix 5000 Standard Edition) • 9357-CNETL3 (RSNetWorx for ControlNet) • 9357-DNETL3 (RSNetWorx for DeviceNet) • 9357-ENETL3 (RSNetWorx for EtherNet/IP) • RSLinx Lite communication drivers |
| 9324-RLD600ENE | <p>RSLogix 5000 Full Edition</p> <p>Includes:</p> <ul style="list-style-type: none"> • 9324-RLD300ENE (RSLogix 5000 Standard Edition) • 9324-RLDMLPE (RSLogix 5000 Multi-Language Pack option – which consist of FBD, SFC, & ST) • 9324-RLDPME (RSLogix 5000 PhaseManager) • 9324-RLDGLXE (RSLogix 5000 GuardLogix Safety Editor) • RSLinx Lite communication drivers • 9323-ATUNEENE (RSLogix 5000 PIDE Autotune) |
| 9324-RLD600ENF | <p>RSLogix 5000 Full Edition Concurrent</p> <p>Includes:</p> <ul style="list-style-type: none"> • 9324-RLD300ENF (RSLogix 5000 Standard Edition) • 9324-RLDMLPE (RSLogix 5000 Multi-Language Pack option - which consist of FBD, SFC, & ST) • 9324-RLDGLXE (RSLogix 5000 GuardLogix Safety Editor) • 9324-RLDPME (RSLogix 5000 PhaseManager) • RSLinx Lite communication drivers • 9323-ATUNEENE (RSLogix 5000 PIDE Autotune) |
| 9324-RLD200ENE | <p>RSLogix 5000 Mini</p> <p>Includes: RSLogix 5000 Mini Edition and RSLinx Lite communication drivers</p> |
| 9324-RLD000ENE | <p>RSLogix 5000 Service Edition</p> <ul style="list-style-type: none"> • RSLinx Lite communication drivers • Only supports controllers at v12 or above |

| | |
|----------------|---|
| 9324-RLD250ENE | RSLogix 5000 Lite Edition Includes: <ul style="list-style-type: none"> 9324-RLD200ENE (RSLogix 5000 Mini Edition) 9324-RLDMLPE (RSLogix 5000 Multi-Language Pack option (FBD, SFC, & ST)) RSLinx Lite communication drivers |
| 9324-RLDFBDENE | RSLogix 5000 FBD Editor Option (Function Block Diagram Editor) |
| 9324-RLDSFCE | RSLOGIX 5000 Sequential Function Chart Option |
| 9324-RLDSTXE | RSLOGIX 5000 Structured Text Option |
| 9324-RLDFZYENE | RSLOGIX 5000 Fuzzy Designer Option |
| 9324-RLDGLXE | RSLOGIX 5000 GuardLogix Safety Editor |
| 9324-RLDMLPE | RSLogix 5000 Multi-Language Pack Option (FBD, SFC, ST) Includes: <ul style="list-style-type: none"> 9324-RLDFBDENE (Function Block Diagram Editor Option) 9324-RLDSFCE (RSLogix 5000 Sequential Function Chart Option) 9324-RLDSTXE (RSLogix 5000 Structured Text Option) |
| 9323-ATUNEENE | Loop Tuner for Logix5000 PIDE Function Block |
| 9310-WED200ENE | RSLogix Emulate 5000™ Processor Emulation – Node Locked |
| 9310-WED200ENF | RSLogix Emulate 5000™ Processor Emulation – Concurrent |

RSLogix™ Bundles

| Catalog Number | Description |
|------------------|--|
| 9324-RL5300NXENE | RSLogix5 w/ RSNetWorx for ControlNet, DeviceNet, EtherNet/IP Bundle Includes: <ul style="list-style-type: none"> 9324-RL5300ENE RSLogix 5 9357-CNETL3 (RSNetWorx for ControlNet) 9357-DNETL3 (RSNetWorx for DeviceNet) 9357-ENETL3 (RSNetWorx for EtherNet/IP) RSLinx Lite communication drivers |
| 9324-RLC300ENE | RSLogix 5 / 500 Standard Programming Bundle, CD Includes: <ul style="list-style-type: none"> 9324-RL5300ENE (RSLogix 5 Standard Edition) 9324-RL0300ENE (RSLogix 500 Standard Edition) RSLinx Lite communication drivers |
| 9324-RLC300ENF | RSLogix 5 / 500 Standard Programming Bundle, CD Concurrent Includes: <ul style="list-style-type: none"> 9324-RL5300ENF (RSLogix 5 Standard Edition) 9324-RL0300ENF (RSLogix 500 Standard Edition) RSLinx Lite communication drivers |
| 9324-RLC700NXENE | RSLogix 5 / RSLogix 500 Professional Programming Bundle, CD Includes: <ul style="list-style-type: none"> 9324-RL5700NXENE (RSLogix 5 Professional Edition) 9324-RL0700NXENE (RSLogix 500 Professional Edition) 9357-CNETL3 (RSNetWorx for ControlNet) 9357-DNETL3 (RSNetWorx for DeviceNet) 9357-ENETL3 (RSNetWorx for EtherNet/IP) 9310-WE5200E (RSLogix Emulate 5) 9310-WE0200E (RSLogix Emulate 500) RSLinx Lite communication drive |

Design & Configuration

| | |
|------------------|--|
| 9324-RLT300ENE | RSLogix 5 / 500 / 5000 w/RSNetWorx for Cnet, Dnet & Enet Includes: <ul style="list-style-type: none">• 9324-RL5300ENE (RSLogix 5 Standard Edition)• 9324-RL0300ENE (RSLogix 500 Standard Edition)• 9324-RLD300ENE (RSLogix 5000 Standard Edition)• 9357-CNETL3 (RSNetWorx for ControlNet)• 9357-DNETL3 (RSNetWorx for DeviceNet)• 9357-ENETL (RSNetWorx for EtherNet/IP)• RSLinx Lite communication drive |
| 9324-RLC350ENE | RSLogix 5 / RSLogix 500 / RSLogix Emulate 5 /RSLogix Emulate 500 Bundle, CD Includes: <ul style="list-style-type: none">• 9324-RL5300ENE (RSLogix 5 Standard Edition)• 9324-RL0300ENE (RSLogix 500 Standard Edition)• 9310-WE5200E (RSLogix Emulate 5)• 9310-WE0200E (RSLogix Emulate 500)• RSLinx Lite communication drivers |
| 9324-RL5300NXENE | RSLogix5 / RSNetWorx for ControlNet and DeviceNet Bundle Includes: <ul style="list-style-type: none">• 9324-RL5300ENE (RSLogix 5 Standard Edition)• 9357-CNETL3 (RSNetWorx for ControlNet)• 9357-DNETL3 (RSNetWorx for DeviceNet)• RSLinx Lite communication drivers |
| 9324-RL0300NXENE | RSLogix 500 / RSNetWorx for ControlNet, DeviceNet & EtherNet/IP Bundle Includes: <ul style="list-style-type: none">• 9324-RL0300ENE (RSLogix 500 Standard Edition)• 9357-CNETL3 (RSNetWorx for ControlNet)• 9357-DNETL3 (RSNetWorx for DeviceNet)• 9357-ENETL3 (RSNetWorx for EtherNet/IP)• RSLinx Lite communication drivers |

RSNetWorx™

| Catalog Number | Description |
|----------------|--|
| 9357-DNETL3 | RSNetWorx for DeviceNet |
| 9357-CNETL3 | RSNetWorx for ControlNet |
| 9357-ENETL3 | RSNetWorx for EtherNet/IP |
| 9357-ANETL3 | RSNetWorx for ControlNet, DeviceNet, and EtherNet/IP |

Communication Bundles

| Catalog Number | Description |
|------------------|---|
| 9324-RL5300NXENE | RSLogix5 / RSNetWorx for ControlNet and DeviceNet Bundle Includes: <ul style="list-style-type: none"> 9324-RL5300ENE RSLogix 5 9357-CNETL3 RSNetWorx for ControlNet 9357-DNETL3 RSNetWorx for DeviceNet RSLinx Lite communication drivers |
| 9324-RLD300NXENE | RSLogix 5000 / RSNetWorx for EtherNet/IP, ControlNet and DeviceNet Bundle Includes: <ul style="list-style-type: none"> 9324-RLD300ENE RSLogix 5000 9357-ENETL3 (RSNetWorx for EtherNet/IP) 9357-CNETL3 RSNetWorx for ControlNet 9357-DNETL3 RSNetWorx for DeviceNet RSLinx Lite communication drivers |
| 9324-RL0300NXENE | RSLogix 500 / RSNetWorx for ControlNet Bundle Includes: <ul style="list-style-type: none"> 9324-RL0300ENE RSLogix 500 9357-CNETL3 RSNetWorx for ControlNet RSLinx Lite communication drivers |

RSTune® and RSLoop Optimizer™

Loop Tuning software for the Micrologix, SLC 500, PLC-5, Control Logix families of processors. Note: Process Logix requires RSLoop Optimizer and the PIDE autotuner works with Control Logix function block environment.

| Catalog Number | Description |
|-----------------|--|
| 9323-1003ENE | RSTune Standard Edition |
| 9323-TRL1303ENE | RSTune/RSLinx Bundle Includes: 9323-1003ENE RSTune and 9355-WABENE RSLinx |
| 9323-LOOP01ENE | RSLoop Optimizer |
| 9323-ATUNEENE | Loop Tuner for Logix5000 PIDE Function Block |

RSFieldbus™ Configuration Software

| Catalog Number | Description |
|------------------|--|
| 9308-RSFB64ENE | RSFieldbus 64 FB Base Configuration Software |
| 9308-RSFB256ENE | RSFieldbus 256 FB Base Configuration Software |
| 9308-RSFB1024ENE | RSFieldbus 1024 FB Base Configuration Software |

Design & Configuration



Production Management

Production Management

FactoryTalk® Batch

FactoryTalk® Batch enables you to develop batch control systems by supporting flexible production capability, equipment-independent recipes, batch-independent coordination control, and an organized control methodology. Using common terminology as defined by the world-wide batch community, FactoryTalk Batch helps standardize company procedures and speed up product and process development and deployment.

FactoryTalk Batch now includes MaterialTrack and eProcedure although eProcedure may still be ordered as a stand alone unit.

FactoryTalk® Batch server recommendations:

- 2 GHz Intel® Pentium® processor
- 2 GB RAM
- 40 GB available hard disk space
- Windows Server 2003 R2, Standard Edition
- Microsoft Internet Explorer 6.0, Service Pack 1
- 100 Megabit or faster Ethernet card, network cable; concentrator if using twisted pair wiring; TCP/IP protocol
- Microsoft SQL Server 2005, Service Pack 3. Required if storing recipes in RDB format or utilizing MaterialTrack. (SQL Server is no longer included with FactoryTalk Batch or eProcedure catalog numbers.)

FactoryTalk Batch Servers

| Catalog Number | Description |
|-----------------|--|
| 9358-FTB01ENE | FactoryTalk Batch – 1 Unit |
| 9358-FTB03ENE | FactoryTalk Batch – 3 Units |
| 9358-FTB10ENE | FactoryTalk Batch – 10 Units |
| 9358-FTB30ENE | FactoryTalk Batch – 30 Units |
| 9358-FTB60ENE | FactoryTalk Batch – 60 Units |
| 9358-FTBKY01ENE | FactoryTalk Batch Back-up Key – 1 Unit |
| 9358-FTBKY03ENE | FactoryTalk Batch Back-up Key – 3 Units |
| 9358-FTBKY10ENE | FactoryTalk Batch Back-up Key – 10 Units |
| 9358-FTBKY30ENE | FactoryTalk Batch Back-up Key – 30 Units |
| 9358-FTBKY60ENE | FactoryTalk Batch Back-up Key – 60 Units |

RSBizWare™ BatchCampaign™

RSBizWare BatchCampaign includes a license for Microsoft SQL Server 2005 Standard Edition and one SQL Server Client Access License (CAL).

| Catalog Number | Description |
|-----------------|-------------------------|
| 9358-BCMPN01ENE | RSBizWare BatchCampaign |

FactoryTalk® Historian Classic for Batch*

| Catalog Number | Description |
|-----------------|---|
| 9358-BHIST01ENE | FactoryTalk Historian Classic for Batch, 3 Units |
| 9358-BHIST02ENE | FactoryTalk Historian Classic for Batch, 1 Batch Server |
| 9358-BHIST03ENE | FactoryTalk Historian Classic for Batch, 1-3 Batch Server |

*NOTES

FactoryTalk Historian Classic for Batch includes the following:

- 1) FactoryTalk Historian Classic tag license
 - a) 9358-BHIST01ENE 150 tags
 - b) 9358-BHIST02ENE 300 tags
 - c) 9358-BHIST03ENE 1500 tags
- 2) License for Microsoft SQL Server 2005 Standard Edition
- 3) License for one (1) FactoryTalk Historian Classic Authoring Client, which includes a SQL Server Client Access License (CAL)
- 4) Batch Archiver license for Units or Batch server size purchased

FactoryTalk® ProductionCentre

FactoryTalk® ProductionCentre offers a unique solution set that integrates quality management and business analytics with paperless shop floor and repair execution. This integrated solution improves operational efficiencies while ensuring regulatory compliance and the highest levels of quality. Every order requires the FactoryTalk ProductionCentre server, 9505-RSADVMEs.

FactoryTalk® ProductionCentre

| Catalog Number | Description |
|-----------------|--|
| 9505-RSADVMEs | FactoryTalk ProductionCentre Server <i>This catalog number is required for all FactoryTalk ProductionCentre orders.</i> |
| 9505-RSADVCL | FactoryTalk ProductionCentre User License (Concurrent) |
| 9505-RSADVCLCCH | FactoryTalk ProductionCentre CAPA & Complaint Handling – Stand-alone FactoryTalk® |

FactoryTalk® ProductionCentre Applications

| Catalog Number | Description |
|----------------|---|
| 9505-RSADVSOQ | FactoryTalk ProductionCentre Shop Operations & Quality |
| 9505-RSADVSM | FactoryTalk ProductionCentre Supplier Management |
| 9505-RSADVCCCH | FactoryTalk ProductionCentre CAPA & Complaint Handling |
| 9505-RSADVVRMA | FactoryTalk ProductionCentre RMA Management & Repair (Concurrent) |
| 9505-RSADVECO | FactoryTalk ProductionCentre ADD-ON: ECO Manager |
| 9505-RSADVOPCT | FactoryTalk ProductionCentre ADD-ON: Operator Certification |

FactoryTalk® ProductionCentre Data Management

| Catalog Number | Description |
|-----------------|---|
| 9505-RSADVKNHC | FactoryTalk ProductionCentre Hubconnect |
| 9505-RSADVKNODS | FactoryTalk ProductionCentre ODS & Historical Transfer |
| 9505-RSADVKNETL | FactoryTalk ProductionCentre Analytical Data Mart & ETL |

FactoryTalk® ProductionCentre Reporting and Analytics

| Catalog Number | Description |
|------------------|--|
| 9505-RSADVKNDE | FactoryTalk ProductionCentre Knowledge Designer Named User License |
| 9505-RSADVKNCL | FactoryTalk ProductionCentre Knowledge Named User License |
| 9505-RSADVKNCR | FactoryTalk ProductionCentre Universe & Reports |
| 9505-RSADVKNCLDA | FactoryTalk ProductionCentre Dashboard Named User License |
| 9505-RSADVKNDA | FactoryTalk ProductionCentre Dashboard |

FactoryTalk® Scheduler

FactoryTalk® Scheduler Professional Edition

Included are a FactoryTalk Scheduler Server license, two licenses for the Scheduler Viewer, Microsoft SQL Server 2005 Standard Edition license, and three SQL Server Client Access Licenses (CAL) as required by Microsoft.

Server requirements: SQL Server 2000 (Service Pack 4) or SQL Server 2005 (Service Pack 1); or Oracle 8.1.7, Oracle 9.2.0.1.0, or Oracle 10G

| Catalog Number | Description |
|----------------|--|
| 9358-SCHENE | FactoryTalk Scheduler Professional Edition |

FactoryTalk® Scheduler Viewer

This provides a read-only view on schedules and reports. It also provides a mechanism for updating the FactoryTalk Scheduler database with actual production information such as start and end times and quantities. Included are a license for the FactoryTalk Scheduler Viewer and a Microsoft SQL Server Client Access License (CAL).

| Catalog Number | Description |
|----------------|------------------------------|
| 9358-SCHVWENE | FactoryTalk Scheduler Viewer |

FactoryTalk® Scheduler Standard Edition

Included are a FactoryTalk Scheduler license, a Microsoft SQL Server 2005 Standard Edition license, a SQL Server Client Access License (CAL) as required by Microsoft.

| Catalog Number | Description |
|----------------|--|
| 9358-SCHSTDENE | FactoryTalk Scheduler Standard Edition |

Production Management



Data Management

FactoryTalk® Gateway

FactoryTalk® Gateway takes the premier connectivity from RSLinx Enterprise and makes it available to OPC clients. FactoryTalk Gateway requires a FactoryTalk Live Data server such as RSLinx Enterprise or FactoryTalk View.

If FactoryTalk Gateway is to connect to RSLinx Enterprise and an RSLinx Enterprise server does not already exist in the FactoryTalk application, then a FactoryTalk Gateway and RSLinx Enterprise bundle needs to be purchased. If this is a new install of RSLinx Enterprise/FactoryTalk Gateway, then these bundles should be used.

| Catalog Number | Description |
|------------------|---|
| 9355-OPS2350ENE | FactoryTalk Gateway Station 5000 |
| 9355-OPS2350LENE | FactoryTalk Gateway Station 5000 w/RSLinx Enterprise |
| 9355-OPD2300ENE | FactoryTalk Gateway Distributed 1500 |
| 9355-OPD2300LENE | FactoryTalk Gateway Distributed 1500 w/RSLinx Enterprise |
| 9355-OPD2350ENE | FactoryTalk Gateway Distributed 5000 |
| 9355-OPD2350LENE | FactoryTalk Gateway Distributed 5000 w/RSLinx Enterprise |
| 9355-OPD2400ENE | FactoryTalk Gateway Distributed 32000 |
| 9355-OPD2400LENE | FactoryTalk Gateway Distributed 32000 w/RSLinx Enterprise |
| 9355-OPD2500ENE | FactoryTalk Gateway Distributed 70000 |
| 9355-OPD2500LENE | FactoryTalk Gateway Distributed 70000 w/RSLinx Enterprise |

FactoryTalk® Historian Site Edition

A FactoryTalk® Historian Site Edition server includes a data point-limited license, calculation engine (performance equations, totalizers and SQC alarms), Batch database, Analytics Framework (AF), module database, and one node-locked FactoryTalk® Historian DataLink (Excel Add-In) license. Additionally, server licenses include RSLinx® Enterprise, FactoryTalk Administration Console, and an updated TrendX object for FactoryTalk® View SE to display FactoryTalk Historian data.

Communication to Rockwell Automation controllers is via FactoryTalk® Live Data using RSLinx Enterprise. Communication to third-party devices can either be through FactoryTalk Live Data – using a third-party OPC server (purchased separately) configured as a FactoryTalk Live Data server or through one of the third-party Historian interfaces listed below.

The server licenses are available in two types: Rockwell Automation and third-party. Based on the number of data points to be collected, the appropriate Rockwell Automation and/or third-party license(s) should be selected.

As an example, if the control system consists of 10,000 total data points – 7,500 Rockwell Automation and 2,500 third-party, the system is configured as follows:

- 5,000 Rockwell Data Points License
- 2,500 Rockwell Data Points License
- 2,500 3rd-Party Data Points License

Also note that licenses are cumulative as illustrated in the example. The 7,500 Rockwell data points were configured by purchasing both a 5,000 and 2,500 Rockwell data point license, providing a modest savings over the 10,000 data point license.

FactoryTalk® Historian Site Edition Servers

| Catalog Number | Description |
|-----------------|---|
| 9518-HSERA500 | FactoryTalk Historian Site Edition Server – 500 Rockwell Data Points |
| 9518-HSERA1K | FactoryTalk Historian Site Edition Server – 1,000 Rockwell Data Points |
| 9518-HSERA2K5 | FactoryTalk Historian Site Edition Server – 2,500 Rockwell Data Points |
| 9518-HSERA5K | FactoryTalk Historian Site Edition Server – 5,000 Rockwell Data Points |
| 9518-HSERA10K | FactoryTalk Historian Site Edition Server – 10,000 Rockwell Data Points |
| 9518-HSERA20K | FactoryTalk Historian Site Edition Server – 20,000 Rockwell Data Points |
| 9518-HSERA50K | FactoryTalk Historian Site Edition Server – 50,000 Rockwell Data Points |
| 9518-HSERA100K | FactoryTalk Historian Site Edition Server – 100,000 Rockwell Data Points |
| 9518-HSE3RD500 | FactoryTalk Historian Site Edition Server – 500 3rd-Party Data Points |
| 9518-HSE3RD1K | FactoryTalk Historian Site Edition Server – 1,000 3rd-Party Data Points |
| 9518-HSE3RD2K5 | FactoryTalk Historian Site Edition Server – 2,500 3rd-Party Data Points |
| 9518-HSE3RD5K | FactoryTalk Historian Site Edition Server – 5,000 3rd-Party Data Points |
| 9518-HSE3RD10K | FactoryTalk Historian Site Edition Server – 10,000 3rd-Party Data Points |
| 9518-HSE3RD20K | FactoryTalk Historian Site Edition Server – 20,000 3rd-Party Data Points |
| 9518-HSE3RD50K | FactoryTalk Historian Site Edition Server – 50,000 3rd-Party Data Points |
| 9518-HSE3RD100K | FactoryTalk Historian Site Edition Server – 100,000 3rd-Party Data Points |

FactoryTalk® Historian Client Tools

The FactoryTalk Historian client license for FactoryTalk View SE enables ProcessBook content (Standard Process Book Displays, SQC View, BatchView, AlarmView, etc.) to be hosted/displayed from within FactoryTalk View SE using the Process Book Runtime.

The FactoryTalk Historian ProcessBook authoring license includes the full ProcessBook client and allows for both viewing and authoring of ProcessBook content to be hosted/displayed from within FactoryTalk View SE. The concurrent license provides an easy mechanism to author ProcessBook content on multiple computers. Purchase as many licenses as will be used concurrently.

The FactoryTalk Historian DataLink Excel Reporting Tool provides a Historian Add-In for Microsoft Excel.

| Catalog Number | Description |
|----------------|---|
| 9518-HCLNTENE | FactoryTalk Historian Client License for FactoryTalk View SE |
| 9518-HPBENE | FactoryTalk Historian ProcessBook Authoring Client – Single User |
| 9518-HPBENF | FactoryTalk Historian ProcessBook Authoring Client – Concurrent |
| 9518-HDLENE | FactoryTalk Historian DataLink Excel Reporting Tool – Single User |
| 9518-HDLENF | FactoryTalk Historian DataLink Excel Reporting Tool – Concurrent |

Third-Party Historian Interfaces

These interfaces provide third-party device connectivity for FactoryTalk Historian. These interfaces are not FactoryTalk Live Data enabled, thus cannot provide data to other FactoryTalk products such as View, Batch, etc.

| Catalog Number | Description |
|----------------|---|
| 9518-HINOPCAE | Historian Interface for OPC Alarm and Events – media only |
| 9518-HINOPCHDA | Historian Interface for OPC HDA – media only |
| 9518-HINOPCXML | Historian Interface for OPC XML plug-in – media only |
| 9518-HINRELDDB | Historian Interface for ODBC – media only |
| 9518-HINDDE | Historian Interface for DDE – media only |
| 9518-HINFTP | Historian Interface for FTP – media only |

| | |
|-----------------|--|
| 9518-HINTCP | Historian Interface for TCP Response – media only |
| 9518-HINTRACE | Historian Interface for Trace Route Response – media only |
| 9518-HINHTML | Historian Interface for HTML – media only |
| 9518-HINXML | Historian Interface for XML – media only |
| 9518-HINXMLHTTP | Historian Interface for HTTP XML – media only |
| 9518-HINXMLFILE | Historian Interface for File Reader XML plug-in – media only |
| 9518-HINBATFILE | Historian Interface for Batch Files – media only |
| 9518-HINUNIFILE | Historian Interface for Universal File Loader – media only |
| 9518-HINWINEVT | Historian Interface for MS Windows Event File – media only |
| 9518-HINDNP3 | Historian Interface for DNP 3.0 – media only |
| 9518-HINFFT | Historian Interface for Fourier Transformations – media only |
| 9518-HINPERFMON | Historian Interface for Historian Performance Monitor – media only |
| 9518-HINEPLC | Historian Interface for Modbus Ethernet – media only |
| 9518-HINMPLC | Historian Interface for Modbus/Modbus Plus PLC – media only |
| 9518-HINABBIMS | Historian Interface for ABB IMS Advant – media only |
| 9518-HINABBPDL | Historian Interface for ABB IMS Advant PDL – media only |
| 9518-HINABBPBS | Historian Interface for ABB Procontrol P for PBS – media only |
| 9518-HINCITECH | Historian Interface for Citech – media only |
| 9518-HINFOXBORO | Historian Interface for Foxboro AW70 Series -- media only |
| 9518-HINGECIMPL | Historian Interface for GE Cimplicity – media only |
| 9518-HINGEEPIC | Historian Interface for GE EPIC – media only |
| 9518-HINGEPAC4K | Historian Interface for GE PAC 4010/4020 – media only |
| 9518-HINHONPHD | Historian Interface for Honeywell PHD – media only |
| 9518-HINHONSC3K | Historian Interface for Honeywell Scan3000 – media only |
| 9518-HINSIEMPCS | Historian Interface for Siemens PCS – media only |
| 9518-HINSIEMS5 | Historian Interface for Siemens Simatec Net S5 – media only |
| 9518-HINSIEMS7 | Historian Interface for Siemens Simatec Net S7 – media only |
| 9518-HINASPEN | Historian Interface for AspenTech CIM-IO Client – media only |
| 9518-HINIFIX | Historian Interface for Intellution FIX (FIX32/iFIX) – media only |
| 9518-HININTOUCH | Historian Interface for Wonderware InTouch – media only |

FactoryTalk® Historian Classic

Servers include: a Reporting Tag-limited license for the Historian Server, a license for Microsoft SQL Server 2005 Standard Edition, an embedded version of Transaction Manager Lite, and a license for (1) Historian Authoring Client (which includes a SQL Server Client Access License (CAL). The Data Model Extension is now included with all servers, allowing Historian to report on custom database views or data outside the data model.

FactoryTalk Historian Reporting Tag licenses are now additive. For example, if 400 Reporting Tags are required, purchasing and installing both a 150 and 300 Reporting Tag license on a single server will activate as a 450 Reporting Tag server. The system cannot, however, exceed the maximum offered size of 70,000 Reporting Tags.

Additionally, for convenience, any FactoryTalk Historian Server license will activate 1 FactoryTalk Metrics Workcell. The Historian Authoring Client license will allow the user to configure this one Workcell. For applications requiring additional Workcells, purchase the appropriate FactoryTalk Metrics Server license and any required Authoring licenses.

Server requirements: SQL Server 2000 (Service Pack 4) or SQL Server 2005 (Service Pack 1); or Oracle 8.1.7, Oracle 9.2.0.1.0, or Oracle 10G (A licensed version of Microsoft SQL Server 2005 Standard Edition is included with the software on separate CDs.)

The FactoryTalk Historian Classic authoring license does not support a grace-period activation as described in the End User License Agreement (EULA) of the software installation. Therefore, if the software is not able to access a FactoryTalk Activation server to obtain licenses, it will not be able to perform authoring functions. Previously configured FactoryTalk Historian Classic applications will, however, continue to function normally.

FactoryTalk® Historian Classic Server

| Catalog Number | Description |
|----------------|---|
| 9358-HSTS2100 | FactoryTalk Historian Classic Server – 150 Reporting Tag Limit |
| 9358-HSTS2200 | FactoryTalk Historian Classic Server – 300 Reporting Tag Limit |
| 9358-HSTS2300 | FactoryTalk Historian Classic Server – 1,500 Reporting Tag Limit |
| 9358-HSTS2350 | FactoryTalk Historian Classic Server – 5,000 Reporting Tag Limit |
| 9358-HSTS2375 | FactoryTalk Historian Classic Server – 15,000 Reporting Tag Limit |
| 9358-HSTS2400 | FactoryTalk Historian Classic Server – 32,000 Reporting Tag Limit |
| 9358-HSTS2500 | FactoryTalk Historian Classic Server – 70,000 Reporting Tag Limit |

FactoryTalk® Historian Classic Authoring Client

The Historian Authoring Client license allows a user, using the Production Client application, to configure a Historian application, develop Historian reports, and save them to the Production Server. Runtime-only users can view these saved reports with a FactoryTalk Metrics/FactoryTalk Historian Classic Runtime Client license. The Authoring license includes a SQL Server Client Access License (CAL) as required by Microsoft. Purchase one Authoring Client license for each user who will be performing Historian authoring functions concurrently.

| Catalog Number | Description |
|----------------|--|
| 9358-HSTATH | FactoryTalk Historian Classic Single User Authoring Client |

FactoryTalk® Metrics / FactoryTalk® Historian Classic Runtime Client Licenses

The FactoryTalk Metrics/FactoryTalk Historian Classic Runtime Client licenses allow users to view any FactoryTalk Historian Classic and/or FactoryTalk Metrics reports interactively using Microsoft Internet Explorer, the Production Client, or ActiveX controls embedded in other applications like FactoryTalk View. Purchase a Single-User Runtime Client license for each user who will access the system concurrently, or for convenience, simply purchase one Unlimited-User Runtime Client license, which allows any number of users to connect.

As required by Microsoft, the Single-User Runtime Client license includes a SQL Server Client Access License (CAL) for the license of SQL Server included with the product server. The Unlimited-User Runtime Client licenses, where noted, include a SQL Server Processor license for single, dual, or quad-processor database server computers, which allows for an unlimited number of database users. There is also an Unlimited-User Runtime Client license that does not contain a SQL Server license, for those users who already have the appropriate SQL Server or Oracle database licenses.

| Catalog Number | Description |
|-----------------|---|
| 9358-BIZ1C0PENE | FactoryTalk Metrics/FactoryTalk Historian Classic Single-User Runtime Client License |
| 9358-BIZUC0PENE | FactoryTalk Metrics/FactoryTalk Historian Classic Unlimited-User Runtime Client License without a Database Server License (For users who already have Oracle or SQL Server Processor licenses) |
| 9358-BIZUC1PENE | FactoryTalk Metrics/FactoryTalk Historian Classic Unlimited-User Runtime Client License with SQL Server 2005 Standard Edition Single-Processor Runtime Database license |
| 9358-BIZUC2PENE | FactoryTalk Metrics/FactoryTalk Historian Classic Unlimited-User Runtime Client License with SQL Server 2005 Standard Edition Dual-Processor Runtime Database license |
| 9358-BIZUC4PENE | FactoryTalk Metrics/FactoryTalk Historian Classic Unlimited-User Runtime Client License with SQL Server 2005 Standard Edition Quad-Processor Runtime Database license |

FactoryTalk® Integrator

You can install FactoryTalk® Integrator on one computer with up to two processors. You can install adapter components onto other computers if those adapter components are used in your overall FactoryTalk Integrator solution. You can install IBM WebSphere MQ on the server with FactoryTalk Integrator and the servers where FactoryTalk Integrator adapters are installed. Please note that multi-processor and multi-core computers possibly require additional licenses.

Minimum software requirements to support FactoryTalk Integrator installation:

- Operating System: Microsoft® Windows® 2003 Server Standard Edition (Service Pack 1 or higher)
- Database: Microsoft SQL Server 2000 (Service Pack 4 or higher)
- Adobe® Acrobat® Reader® 7.0

| Catalog Number | Description |
|------------------|--|
| 9507-FTINTCORENE | FactoryTalk Integrator (Includes access up to five (5) technology adapters) |
| 9507-FTINTACPENE | FactoryTalk Integrator Adapter Capacity Pk |
| 9507-FTINTISLENE | FactoryTalk Integrator- Integration Scenario Library |

FactoryTalk® Transaction Manager

The FactoryTalk® Transaction Manager Professional Version supports distributed operations and the ability to add multiple Enterprise or Control connectors on different computers. FactoryTalk® Transaction Manager Professional also includes a server license for Microsoft SQL Server 2005 Standard Edition, and a SQL Server Client Access License (CAL) as required by Microsoft.

What are the differences between PRO and Standard, and why would I buy one over the other?

- Standard version offerings are only supported for applications requiring between 150 and 5000 tags. You must supply a database product for storing the data.
- PRO versions support larger application sizes up to 50,000 tags.
- PRO versions include a copy of Microsoft SQL Server and a CAL for use with FactoryTalk Transaction Manager so you do not need to purchase a separate database product to store your data. It is a complete solution package.
- You must supply your own database product for use with Standard versions.
- PRO versions support a distributed architecture whereas Standard versions only support a centralized architecture.
- If you intend to use the COM+ Connector, you must purchase a PRO version.

If I purchase a copy of FactoryTalk Transaction Manager and discover I need more tags, what are my options?

- Upgrades between sizes or between PRO and Standard versions of FactoryTalk Transaction Manager are available.
- Multiple copies of FactoryTalk Transaction Manager are not cumulative as with some other products. For example, you cannot combine tag counts from two licensed copies into a single tag count version. An upgrade is required if you need to add more tags to be stored in your database.

Can I use any database product with FactoryTalk Transaction Manager?

- Rockwell Automation has thoroughly tested FactoryTalk Transaction Manager with Oracle and Microsoft SQL Server database products and these are the only two that are officially supported. FactoryTalk Transaction Manager includes a standard ODBC connector that allows use with any database that has an ODBC interface. However, some implementations of an ODBC interface have slight variations that may cause compatibility problems.

FactoryTalk® Transaction Manager Professional Version

| Catalog Number | Description |
|----------------|--|
| 9356-PRO2100 | FactoryTalk Transaction Manager Professional Version with 150 Tag Limit |
| 9356-PRO2200 | FactoryTalk Transaction Manager Professional Version with 300 Tag Limit |
| 9356-PRO2300 | FactoryTalk Transaction Manager Professional Version with 1500 Tag Limit |
| 9356-PRO2350 | FactoryTalk Transaction Manager Professional Version with 5000 Tag Limit |
| 9356-PRO2450 | FactoryTalk Transaction Manager Professional Version with 32,000 Tag Limit |
| 9356-PRO2500 | FactoryTalk Transaction Manager Professional Version with 70,000 Tag Limit |

FactoryTalk® Transaction Manager Standard Version

FactoryTalk Transaction Manager Standard must have all services on the same computer, but it can connect to remote databases and/or OPC servers (if that option is supported by the OPC vendor.)

| Catalog Number | Description |
|----------------|--|
| 9356-STD2100 | FactoryTalk Transaction Manager Standard Version with 150 Tag Limit |
| 9356-STD2200 | FactoryTalk Transaction Manager Standard Version with 300 Tag Limit |
| 9356-STD2300 | FactoryTalk Transaction Manager Standard Version with 1500 Tag Limit |
| 9356-STD2350 | FactoryTalk Transaction Manager Standard Version with 5000 Tag Limit |

FactoryTalk® Transaction Manager Connectors & Gateways

The Connector and Gateway options below require FactoryTalk Transaction Manager Professional, and are purchased separately.

| Catalog Number | Description |
|----------------|--|
| 9356-SQLCOMPLS | FactoryTalk Transaction Manager COM+ Connector |



Quality & Compliance

Corrective Action/Preventive Action (CAPA)

This quality assurance process is responsible for identifying, correcting and eliminating the cause of potential and actual non-conformances, minimizing the risk of poor quality and providing continuous improvement of the manufacturing operation.

The FactoryTalk ProductionCentre CAPA Management solution is a comprehensive, closed-loop corrective action application that seamlessly interacts with other quality and manufacturing processes and systems. CAPA Management is deployed as a standalone solution for a single site, or across an enterprise, and can also be integrated with other Rockwell Automation solutions to provide a comprehensive end-to-end quality management system that spans the product life cycle for identifying, monitoring and improving products and processes.

For ordering information on Corrective Action/Preventive Action, refer to FactoryTalk ProductionCentre.

RSBizWare™ eProcedure®

eProcedure servers include: a license for Microsoft SQL Server 2000 Standard Edition and two SQL Server Client Access Licenses (CAL).

| Catalog Number | Description |
|-----------------|---|
| 9358-EP03ENE | RSBizWare eProcedure – 3 Units |
| 9358-EP10ENE | RSBizWare eProcedure – 10 Units |
| 9358-EP30ENE | RSBizWare eProcedure – 30 Units |
| 9358-EP60ENE | RSBizWare eProcedure – 60 Units |
| 9358-EPBKY03ENE | RSBizWare eProcedure Backup Key 3 Unit |
| 9358-EPBKY10ENE | RSBizWare eProcedure Backup Key 10 Unit |
| 9358-EPBKY30ENE | RSBizWare eProcedure Backup Key 30 Unit |
| 9358-EPBKY60ENE | RSBizWare eProcedure Backup Key 60 Unit |

Quality & Compliance



Asset Management

Asset Management

FactoryTalk® AssetCentre

All FactoryTalk AssetCentre systems **must** include a FactoryTalk AssetCentre Server (9515-ASTSRVRENE)

The FactoryTalk AssetCentre Server includes ten (10) FactoryTalk AssetCentre assets capacity.

To increase asset capacity, choose the level of additional assets to meet your needs. FactoryTalk AssetCentre asset capacity is additive, so the number of additional assets are added to the existing quantity. For example, 9515-ASTSRVRENE (FactoryTalk AssetCentre Server with 10 assets) + 9515-ASTCAP0100 (FactoryTalk AssetCentre 100 additional assets) + 9515-ASTCAP0500 (FactoryTalk AssetCentre 500 additional assets) equals 610 asset capacity.

Additional capabilities can be purchased separately for disaster recovery, process device configuration or calibration management. (Performing disaster recovery for Rockwell Automation drives with the Disaster Recovery for Rockwell Automation capability requires the purchase of DriveExecutive (9303-4DTE01ENE) for each FactoryTalk AssetCentre Agent).

| Catalog Number | Description |
|------------------|---|
| 9515-ASTSRVRENE | FactoryTalk AssetCentre Server |
| 9515-ASTCAP0025E | FactoryTalk AssetCentre 25 additional assets |
| 9515-ASTCAP0100E | FactoryTalk AssetCentre 100 additional assets |
| 9515-ASTCAP0500E | FactoryTalk AssetCentre 500 additional assets |
| 9515-ASTCAP1000E | FactoryTalk AssetCentre 1000 additional assets |
| 9515-ASTCAP5000E | FactoryTalk AssetCentre 5000 additional assets |
| 9515-ASTCAPSITE | FactoryTalk AssetCentre Asset Capacity Site License |
| 9515-ASTDRROKENE | FactoryTalk AssetCentre Disaster Recovery for Rockwell Automation |
| 9515-ASTDRFNCENE | FactoryTalk AssetCentre Disaster Recovery for Fanuc Robot |
| 9515-ASTDRMTNENE | FactoryTalk AssetCentre Disaster Recovery for Motoman Robot |
| 9515ASTPRDCFENE | FactoryTalk AssetCentre Process Device Management |
| 9515ASTCLMANENE | FactoryTalk AssetCentre Calibration Management |
| 9515ASTCLWRKENE | FactoryTalk AssetCentre Calibration Management Remote Workstation |
| 9515ASTCLFLKENE | FactoryTalk AssetCentre Calibration Management FLUKE Dcmtg Clbrt Intrfc |
| 9515ASTCLDRKENE | FactoryTalk AssetCentre Calibration Management Druck Dcmtg Clbrt Intrfc |
| 9515ASTCLTMNENE | FactoryTalk AssetCentre Calibration Management Trnsmtn Dcmtg Clbrt Intrfc |

RSMACC™ Server and Client

An RSMACC Server is the nucleus of all RSMACC-based solutions. Enterprise Online Condition Monitor builds upon the infrastructure provided by the RSMACC Server.

Each RSMACC Server includes Microsoft SQL Server Standard, Rockwell Software Security Server, RSMACC Service Monitor, the database components and configuration utilities for the RSMACC Profile and Event repositories. Each RSMACC Server also includes RSMACC Client software and ten(10) client activations as well as the Security Server components.

| Catalog Number | Description |
|------------------|---|
| 9515-RSMSVRENE | RSMACC Server (includes 10 RSMACC Client activations) |
| 9515-RSMCLT010EN | RSMACC Client activation 10-pack |

RSMACC™ Enterprise Online Condition Monitor

An RSMACC Enterprise Online solution consists of a remote configuration utility, database mapping tool, and viewing and analysis tools for real-time dynamic and process data from FactoryTalk LiveData sources and XM or Enwatch online devices. RSMACC Enterprise Online Condition Monitor is comprised of both RSMACC Server and Client components but can be run as a standalone application if the RSMACC infrastructure is not in place.

| Catalog Number | Description |
|------------------|--|
| 9515-RSEOL016ENE | RSMACC Enterprise Online Condition Monitor, 16 XM & 2 Enwatch |
| 9515-RSEOL024ENE | RSMACC Enterprise Online Condition Monitor, 24 XM & 4 Enwatch |
| 9515-RSEOL40ENE | RSMACC Enterprise Online Condition Monitor, 40 XM & 6 Enwatch |
| 9515-RSEOL56ENE | RSMACC Enterprise Online Condition Monitor, 56 XM & 8 Enwatch |
| 9515-RSEOL74ENE | RSMACC Enterprise Online Condition Monitor, 74 XM & 10 Enwatch |
| 9515-RSEOL000ENE | RSMACC Enterprise Online Condition Monitor, Unlimited XM & Enwatch |

Emonitor®

| Catalog Number | Description |
|------------------|---|
| 9309-ENSH000ENF | Emonitor Enterprise Unlimited Bundle |
| 9309-ENSH500ENF | Emonitor Enterprise 500 Tag |
| 9309-ENSHSCLTENF | Emonitor Enterprise Additional Single User |
| 9309-ESCL500ENF | Enterprise 1 Additional User License Pack 500 Tag |
| 9309-ODDX000ENF | Emonitor Factory Unlimited Tag |
| 9309-ODDX500ENF | Emonitor Factory 500 Tag |
| 9309-ODDXKITENF | Emonitor Factory Unlimited for Entek Kit |
| 9309-ODBS000ENE | Emonitor Workstation Unlimited |
| 9309-ODBS500ENE | Emonitor Workstation 500 Tag |
| 9309-ODBSKITENE | Emonitor Workstation Unlimited for Entek Kit |
| 9309-MAXGTWENE | Maximo Gateway for Emonitor |
| 9309-MAXGTWENF | Maximo Gateway for Emonitor – Concurrent |
| 9309-DATGTWENE | Datastream Gateway for Emonitor |
| 9309-DATGTWENF | Datastream Gateway for Emonitor – Concurrent |
| 9309-XM016ENF | Emonitor XM Gateway up to 16 XM – Concurrent |
| 9309-XM024ENE | Emonitor XM Gateway up to 24 XM |
| 9309-XM024ENF | Emonitor XM Gateway up to 24 XM – Concurrent |

| | |
|-----------------|---|
| 9309-XM040ENE | Emonitor XM Gateway up to 40 XM |
| 9309-XM040ENF | Emonitor XM Gateway up to 40 XM – Concurrent |
| 9309-XM056ENE | Emonitor XM Gateway up to 56 XM |
| 9309-XM056ENF | Emonitor XM Gateway up to 56 XM – Concurrent |
| 9309-XM074ENE | Emonitor XM Gateway up to 74 XM |
| 9309-XM074ENF | Emonitor XM Gateway up to 74 XM – Concurrent |
| 9309-XM000ENE | Emonitor XN Gateway Unlimited XM |
| 9309-XM000ENF | Emonitor XN Gateway Unlimited XM – Concurrent |
| 9309-PDADRVE | PDA Driver 10-User License Pack |
| 9309-PDADRVENF | PDA Driver 10-User License Pack – Concurrent |
| 9309-PLNTLN5ENF | PlantLink 5-User License Pack – Concurrent |
| 9309-ENSHCLTENF | Enterprise Add 3-User License Pack |
| 9309-ODYCLTENF | Factory Add 3-User License Pack |
| 9309-ODYSCLTENF | Factory Add 1-User License Pack |
| 9309-ENCL000ENF | Enterprise Unlimited User License Pack – Concurrent |
| 9309-ECL500ENF | Enterprise 500 Tag 3-User License Pack – Concurrent |
| 9309-FCL500ENF | Factory 500 Tag 3-User Pack – Concurrent |
| 9309-FSCL500ENF | Factory 500 Tag Single User – Concurrent |

Emonitor® – Asset Health Module

Emonitor Asset Health Module completes a comprehensive solution for enterprise asset health information. This new module takes you to the next step beyond predictive maintenance by providing a platform for integrating asset health information into your plant operation and maintenance routines.

Emonitor gathers information from portable instruments, installed surveillance equipment, protection monitors, laboratory analysis or other condition monitoring technologies. The Asset Health Module allows you to use this information to determine potential machinery problems (diagnosis) and identify the appropriate action (Intelligent Advisory), and determine the proper prognosis based upon recommended actions.

| Catalog Number | Description |
|------------------|---|
| 9309-ASTHLTHENF | Emonitor Asset Health Module – Concurrent |
| 9309-IADSN000ENE | Emonitor IA Decision |
| 9309-IADSN000ENF | Emonitor IA Decision – Concurrent |
| 9309-IADSASTENF | Emonitor Asset Health & IA Decision Module – Concurrent |

Emonitor® Web Client

The Rockwell Software Emonitor family of products allows the user to easily distribute data and alarm information across an enterprise. This is accomplished through the use of a web based interface. While not possessing the functionality of the full Emonitor Client, the Web Client can be easily accessed on any computer that has a web browser installed, such as Microsoft's Internet Explorer.

| Catalog Number | Description |
|----------------|--|
| 9309-WEBCLTENF | Emonitor Web Client 3-User Pack – Concurrent |

Fieldcare Hart

| Catalog Number | Description |
|------------------|---------------------------------|
| 9504-SPECHARTENE | FIELD CARE HART Software Bundle |

RSEnergyMetrix®

RSEnergyMetrix® is a sophisticated Web-enabled, energy management software package that puts critical energy information at your desktop. The RSEnergyMetrix software suite combines data communication, client-server applications, and advanced .NET™ web technology from Microsoft® to provide you with a complete energy management solution. With RSEnergyMetrix, you can capture, analyze, store, and share energy data across your entire enterprise via a LAN or WAN using a simple Web browser. This makes it simple to distribute the knowledge you need to optimize energy consumption, which can help improve productivity while lowering energy costs.

| Catalog Number | Description |
|------------------|---|
| 9307-EM8MGRENE | RSEnergyMetrix Manager (8 meters) with user-supplied MSSQL |
| 9307-EM64MGRENE | RSEnergyMetrix Manager (64 meters) with user-supplied MSSQL |
| 9307-EM10KMGRENE | RSEnergyMetrix Manager (10K meters) with user-supplied MSSQL |
| 9307-8MGDBCENE | RSEnergyMetrix Manager (8 meters) bundled with MSSQL – 1 MSSQL Client only |
| 9307-64MGDBCENE | RSEnergyMetrix Manager (64 meters) bundled with MSSQL – 1MSSQL Client only |
| 9307-10KMGDBCENE | RSEnergyMetrix Manager (10K meters) bundled with MSSQL – 1MSSQL Client only |
| 9307-8MGDBPENE | RSEnergyMetrix Manager (8 meters) bundled with MSSQL – 1 Processor Unlimited MSSQL Clients |
| 9307-64MGDBPENE | RSEnergyMetrix Manager (64 meters) bundled with MSSQL – 1 Processor Unlimited MSSQL Clients |
| 9307-10KMGDBPENE | RSEnergyMetrix Manager (10K meters) bundled with MSSQL – 1 Processor Unlimited MSSQL Clients |
| 9307-EMRTENE | RSEnergyMetrix Real-Time Option |
| 9307-EMCHTENE | RSEnergyMetrix ChartsPlus Option |
| 9307-EMRPTENE | RSEnergyMetrix ReportsPlus Option |
| 9307-EM83PXENE | RSEnergyMetrix 3rd-Party OPC (8 meters) Option |
| 9307-EM643PXENE | RSEnergyMetrix 3rd-Party OPC (64 meters) Option |
| 9307-EM10K3PXENE | RSEnergyMetrix 3rd-Party OPC (10K meters) Option |

RSPower™32

RSPower32 is a Windows®-based software program that configures and displays data from all Allen-Bradley power monitors. RSPower32 is a complete tool that allows you to save power monitor data to disk, print data, harmonics and waveforms and manage power monitor configurations. Install RSPower32 as a stand-alone package or as an OPC Server to share data with HMI software such as FactoryTalk® View.

| Catalog Number | Description |
|------------------|--|
| 9307-RSP32LXWENE | RSPower32 Works Bundled with Comm. Drivers |
| 9307-RSP32WENE | RSPower32 Works |
| 9307-RSP32LXRENE | RSPower32 Runtime Bundled with Comm. Drivers |
| 9307-RSP32RENE | RSPower32 Runtime |

RSPower™Plus

RSPower™Plus is a simple yet powerful tool to help monitor, analyze and manage power in your facility. RSPowerPlus is a Windows®-based application that expands the RSPower™32 functionality from configuration and real-time monitoring of Allen-Bradley® power monitors to include simple billing and trending via the TOU (Time Of Use) function available in the Powermonitor™ 3000 and 1000 products. Install RSPowerPlus as a stand alone package or as an OPC Server to share data with HMI software such as FactoryTalk® View. You can also upgrade your existing RSPower32 to include the billing and trending functionality available in RSPowerPlus.

| Catalog Number | Description |
|-----------------------|--|
| 9307-RSPPLXWENE | RSPowerPlus Works Bundled with Comm. Drivers |
| 9307-RSPPWENE | RSPowerPlus Works |
| 9307-RSPPLXRENE | RSPowerPlus Runtime Bundled with Comm. Drivers |
| 9307-RSPPRENE | RSPowerPlus Runtime |

Asset Management



Performance & Visibility

FactoryTalk® Metrics LE

FactoryTalk® Metrics LE Servers

FactoryTalk Metrics software can be run on single processor, dual processor, and dual-core processor computers. The server and database components can be resident on a single computer, or distributed between multiple computers. The computer requirements for each architecture will be different. The number of clients accessing the system and viewing reports has an impact on hardware requirements.

FactoryTalk Metrics has no license limits on the number of custom events configured in an application. Therefore, it is possible to configure a 100 workcell system (for example) that logs anywhere between zero and millions of custom events per day. Obviously, as you increase the number of workcells that you monitor and increase the number of events that you track, you will need progressively more powerful computers to handle the load effectively.

Server requirements: SQL Server 2000 (Service Pack 4) or SQL Server 2005 (Service Pack 1); or Oracle 8.1.7, Oracle 9.2.0.1.0, or Oracle 10G (A licensed version of Microsoft SQL Server 2005 Standard Edition is included with the software on separate CDs.)

Note: The FactoryTalk Metrics authoring license does not support a grace-period activation as described in the End User License Agreement (EULA) of the installation. Therefore, if the software is not able to access a FactoryTalk Activation server to obtain licenses, it will not be able to perform authoring functions. Previously configured FactoryTalk Metrics applications will, however, continue to function normally.

| Catalog Number | Description |
|------------------|---|
| 9378-FTMLE010ENE | FactoryTalk Metrics Line Edition with 10 Workcell Limit (includes FactoryTalk Metrics Server with 10 workcell limit and 4 single-user runtime client licenses — concurrent users) |
| 9378-FTMLE025ENE | FactoryTalk Metrics Line Edition with 25 Workcell Limit (includes FactoryTalk Metrics Server with 25 workcell limit and 7 single-user runtime client licenses — concurrent users) |
| 9378-FTMLE050ENE | FactoryTalk Metrics Line Edition with 50 Workcell Limit (includes FactoryTalk Metrics Server with 50 workcell limit and 16 single-user runtime client licenses — concurrent users) |
| 9378-FTMLE100ENE | FactoryTalk Metrics Line Edition with 100 Workcell Limit (includes FactoryTalk Metrics Server with 100 workcell limit and 24 single-user runtime client licenses — concurrent users) |
| 9378-FTMLE200ENE | FactoryTalk Metrics Line Edition with 200 Workcell Limit (includes FactoryTalk Metrics Server with 200 workcell limit and 49 single-user runtime client licenses — concurrent users) |

Performance & Visibility

FactoryTalk® Metrics LE Authoring Clients

An Authoring Client license is required for each user who will configure the FactoryTalk Metrics Line Edition application. One Authoring Client license has been packaged with each FactoryTalk Metrics Line Edition option.

| Catalog Number | Description |
|-----------------|--------------------------------------|
| 9358-PLTMATHENE | FactoryTalk Metrics Authoring Client |

FactoryTalk® Metrics

FactoryTalk® Metrics Server

Servers include: a Workcell-limited license for the FactoryTalk Metrics Server, a license for Microsoft® SQL Server™ 2005 Standard Edition, Runtime-Restricted Use Software, an embedded version of FactoryTalk Transaction Manager Lite, and a license for (1) FactoryTalk Metrics Authoring Client (which includes a Microsoft® SQL Server™ 2005, Standard Edition, Runtime-Restricted Use Software, (CAL) Client Access License.

The Data Model Extension is now included with all servers, allowing FactoryTalk Metrics to report on custom database views or data outside the data model.

FactoryTalk Metrics Workcell licenses are now additive. For example, if 15 Workcells are required, purchasing and installing both a 5 and 10 Workcell license on a single server will activate as a 15 Workcell server.

Additionally, for convenience, any FactoryTalk Metrics server license will activate 25 Historian time-series Reporting Tags. The FactoryTalk Metrics Authoring Client license will allow the user to configure these tags. For applications requiring additional Reporting Tags, purchase the appropriate Historian Server license and any required Authoring licenses.

| Catalog Number | Description |
|------------------|--|
| 9358-PLTM2100ENE | FactoryTalk Metrics Server with 5 Workcell Limit |
| 9358-PLTM2200ENE | FactoryTalk Metrics Server with 10 Workcell Limit |
| 9358-PLTM2300ENE | FactoryTalk Metrics Server with 25 Workcell Limit |
| 9358-PLTM2400ENE | FactoryTalk Metrics Server with 50 Workcell Limit |
| 9358-PLTM2500ENE | FactoryTalk Metrics Server with 100 Workcell Limit |
| 9358-PLTM2600ENE | FactoryTalk Metrics Server with 200 Workcell Limit |

FactoryTalk® Metrics Authoring Client

The FactoryTalk Metrics Authoring Client license allows a user, using the Production Client application, to configure a FactoryTalk Metrics application, develop FactoryTalk Metrics reports, and save them to the Production Server. Runtime-only users can view these saved reports with a product Runtime Client license. The Authoring license includes a SQL Server Client Access License (CAL) as required by Microsoft. Purchase one Authoring Client license for each user who will be performing FactoryTalk Metrics authoring functions concurrently.

| Catalog Number | Description |
|-----------------|--------------------------------------|
| 9358-PLTMATHENE | FactoryTalk Metrics Authoring Client |

FactoryTalk® Metrics / FactoryTalk® Historian Classic Runtime Clients

FactoryTalk Metrics/FactoryTalk Historian Classic Runtime Client licenses are required for users who access "live" reports through a Web browser, HMI, or other applications. These are concurrent user licenses and include the appropriate SQL Server 2005 license. Unlimited-user versions are available for 1-, 2-, or 4-CPU systems. A fixed number of runtime clients have been packaged with each FactoryTalk Metrics Line Edition option.

| Catalog Number | Description |
|-----------------|---|
| 9358-BIZ1C0PENE | FactoryTalk Metrics/FactoryTalk Historian Classic Single-User Runtime Client License |
| 9358-BIZUC0PENE | FactoryTalk Metrics/FactoryTalk Historian Classic Unlimited-User Runtime Client License without a Database Server License (For users who already have Oracle or SQL Server Processor licenses) |
| 9358-BIZUC1PENE | FactoryTalk Metrics/FactoryTalk Historian Classic Unlimited-User Runtime Client License with SQL Server 2005 Standard Edition Single-Processor Runtime Database license |
| 9358-BIZUC2PENE | FactoryTalk Metrics/FactoryTalk Historian Classic Unlimited-User Runtime Client License with SQL Server 2005 Standard Edition Dual-Processor Runtime Database license |
| 9358-BIZUC4PENE | FactoryTalk Metrics/FactoryTalk Historian Classic Unlimited-User Runtime Client License with SQL Server 2005 Standard Edition Quad-Processor Runtime Database license |

FactoryTalk® Portal

The FactoryTalk® Portal provides support for many of the customary Internet, portal, portlet, and Java standards. Or you can develop custom portlets by programming in Java with open standards.

| Catalog Number | Description |
|-----------------|--|
| 9507FTPRTSRVENE | FactoryTalk Portal Server (20 clients) |

FactoryTalk® Machine Edition (ME)

FactoryTalk® View Machine Edition Station Runtime

Used to run FactoryTalk View ME projects created with FactoryTalk View Studio on Microsoft® Windows® 2000 and Windows XP computers. Includes RSLinx Classic for FactoryTalk View, RSLinx Enterprise, and KEPServer Enterprise.

| Catalog Number | Description |
|------------------|---|
| 9701-VWMR250AENE | FactoryTalk View Machine Edition Station Runtime 250 Displays — Windows XP/Windows 2000 |
| 9701-VWMR075AENE | FactoryTalk View Machine Edition Station Runtime 75 Displays – Windows 2000 |
| 9701-VWMR030AENE | FactoryTalk View Machine Edition Station Runtime 30 Displays – Windows 2000 |
| 9701-VWMR015AENE | FactoryTalk Machine Edition Station Runtime 15 Displays – Windows 2000 |

FactoryTalk® View Studio

FactoryTalk View Studio can use dedicated or floating licenses.

| Catalog Number | Description |
|----------------|--|
| 9701-VWSTENE | FactoryTalk View Studio for FactoryTalk View Enterprise <i>Configuration software for developing and testing machine and site-level human-machine interface (HMI) applications.</i> Includes: <ul style="list-style-type: none"> • RSLinx Classic for FactoryTalk View and KEPServer Enterprise (for development purposes, no activation is included) |
| 9701-VWSTMENE | FactoryTalk View Studio for Machine Edition <i>Configuration software for developing and testing machine-level human-machine interface (HMI) applications only.</i> Includes: <ul style="list-style-type: none"> • RSLinx Classic for FactoryTalk View and KEPServer Enterprise (for development purposes, no activation is included) |

FactoryTalk® View Site Edition (SE)

FactoryTalk® View Site Edition Server

The FactoryTalk View Site Edition Server stores HMI project components and serves these components to clients. The server may also contain a database of tags, perform alarm detection, and manage historical data. FactoryTalk View SE Servers for distributed applications; FactoryTalk View Clients are purchased separately. Includes both RSLinx Classic and RSLinx Enterprise.

| Catalog Number | Description |
|------------------|---|
| 9701-VWSS000LENE | FactoryTalk View Server Unlimited Display with RSLinx |
| 9701-VWSS250LENE | FactoryTalk View SE Server 250 Display with RSLinx |
| 9701-VWSS100LENE | FactoryTalk View SE Server 100 Display with RSLinx |
| 9701-VWSS025LENE | FactoryTalk View SE Server 25 Display with RSLinx |

FactoryTalk® View Site Edition Client

FactoryTalk View SE Clients for distributed applications; FactoryTalk View SE Servers are purchased separately. FactoryTalk View Site Edition Client licenses are deployed as dedicated (when installed on the computer hosting the FactoryTalk View Site Edition Client) or floating licenses (when installed on the computer hosting the FactoryTalk Directory).

| Catalog Number | Description |
|----------------|---------------------------------|
| 9701-VWSCWAENE | FactoryTalk View SE Client |
| 9701-VWSCRAENE | FactoryTalk View SE View Client |

FactoryTalk® View Site Edition Station

FactoryTalk View SE Station for local (non-distributed) applications – runs on one computer. Includes RSLinx Classic for FactoryTalk View and RSLinx Enterprise, neither require separate activations.

| Catalog Number | Description |
|------------------|---|
| 9701-VWSB000AENE | FactoryTalk View SE Station Unlimited Display |
| 9701-VWSB250AENE | FactoryTalk View SE Station 250 Display |
| 9701-VWSB100AENE | FactoryTalk View SE Station 100 Display |
| 9701-VWSB025AENE | FactoryTalk View SE Station 25 Display |

KEPServer Enterprise

KEPServer Enterprise provides serial and Ethernet OPC servers that allow communication between many third-party industrial devices and RSView32, FactoryTalk View Site Edition, and FactoryTalk View Machine Edition. All drivers are supported by Rockwell Software.

| Catalog Number | Description |
|----------------|----------------------|
| 9301-OPCSRVENE | KEPServer Enterprise |

RSView®32

RSView®32™ is an integrated, component-based HMI for monitoring and controlling automation machines and processes. RSView32 is available in English, Chinese, French, German, Italian, Japanese, Portuguese, Korean, and Spanish.

Ordering is based upon estimating tag count needs. For example, if 4,100 controller tags will be scanned for displaying values, alarming, and recipe management and about 500 tags will be defined internally to RSView32 for internal calculations and derived tags, then a 5,000 tag count RSView32 would be the best choice. If the application is expected to grow considerably then the 32,000 tag count can be purchased.

To determine how many development and runtime stations are needed, remember that RSView32 Works allows you to create, test, and edit RSView32 applications. RSView32 Runtime is used where the application is going to be deployed. For example, if two engineers need the ability to develop and edit HMI projects and there are five HMI stations that will be running the project, then two Works and five Runtime packages should be purchased.

Works packages are for development and include one embedded runtime.

| Catalog Number | Description |
|----------------|--|
| 9301-2SE2500 | RSView32 Works 100K |
| 9301-2SE2503 | RSView32 Works 100K with RSLinx Classic Professional |
| 9301-2SE3500 | RSView32 Runtime 100K |
| 9301-2SE3503 | RSView32 Runtime 100K with RSLinx Classic Professional |
| 9301-2SE2400 | RSView32 Works 32K |
| 9301-2SE2403 | RSView32 Works 32K with RSLinx Classic Professional |
| 9301-2SE3400 | RSView32 Runtime 32K |
| 9301-2SE3403 | RSView32 Runtime 32K with RSLinx Classic Professional |
| 9301-2SE2350 | RSView32 Works 5000 |
| 9301-2SE2353 | RSView32 Works 5000 with RSLinx Classic Professional |
| 9301-2SE3350 | RSView32 Runtime 5000 |
| 9301-2SE3353 | RSView32 Runtime 5000 with RSLinx Classic Professional |
| 9301-2SE2300 | RSView32 Works 1500 |
| 9301-2SE2303 | RSView32 Works 1500 with RSLinx Classic Professional |
| 9301-2SE2304 | RSView32 Works 1500 with RSLinx Classic Single Node |
| 9301-2SE3300 | RSView32 Runtime 1500 |
| 9301-2SE3303 | RSView32 Runtime 1500 with RSLinx Classic Professional |
| 9301-2SE3304 | RSView32 Runtime 1500 with RSLinx Classic Single Node |
| 9301-2SE2200 | RSView32 Works 300 |
| 9301-2SE2203 | RSView32 Works 300 with RSLinx Classic Professional |
| 9301-2SE2204 | RSView32 Works 300 with RSLinx Classic Single Node |
| 9301-2SE3200 | RSView32 Runtime 300 |
| 9301-2SE3203 | RSView32 Runtime 300 with RSLinx Classic Professional |
| 9301-2SE3204 | RSView32 Runtime 300 with RSLinx Classic Single Node |
| 9301-2SE2100 | RSView32 Works 150 |
| 9301-2SE2103 | RSView32 Works 150 with RSLinx Classic Professional |
| 9301-2SE2104 | RSView32 Works 150 with RSLinx Classic Single Node |
| 9301-2SE3100 | RSView32 Runtime 150 |
| 9301-2SE3103 | RSView32 Runtime 150 with RSLinx Classic Professional |
| 9301-2SE3104 | RSView32 Runtime 150 with RSLinx Classic Single Node |
| 9301-2SE2050 | RSView32 Works 75 |
| 9301-2SE2053 | RSView32 Works 75 with RSLinx Classic Professional |
| 9301-2SE2055 | RSView32 Works 75 with KEPServer Enterprise |
| 9301-2SE3050 | RSView32 Runtime 75 |
| 9301-2SE3053 | RSView32 Runtime 75 with RSLinx Classic Professional |
| 9301-2SE3054 | RSView32 Runtime 75 with RSLinx Classic Single Node |
| 9301-2SE3055 | RSView32 Runtime 75 with KEPServer Enterprise |
| 9357-ANETL3 | RSNetWorx for ControlNet, DeviceNet, and Ethernet/IP |

RSView®32 Messenger Pro

| Catalog Number | Description |
|----------------|-----------------------|
| 9301MSGRPROENE | RSView32 MessengerPro |

RSView®32 Active Display System

With the RSView32 Active Display System, you can view and control your RSView32 projects from remote locations.

| Catalog Number | Description |
|----------------|---|
| 9305ADSGWENE | RSView32 Active Display Server with FactoryTalk Gateway |
| 9305RSVADSENE | RSView32 Active Display Server (English) |
| 9305RSVADDCENE | RSView32 Active Display Dedicated Client (English) |
| 9305RSVADFCENE | RSView32 Active Display Floating Client (English) |
| 9305RSVADFCENE | RSView32 Active Display Floating View Client (English) |

RSView®32 WebServer

RSView32 WebServer allows anyone with a valid RSView32 user account to access snapshot views of graphic displays, tags, and alarms through any standard Web browser.

| Catalog Number | Description |
|----------------|--------------------|
| 9301RSVWSENE | RSView32 WebServer |

www.rockwellautomation.com

Power, Control and Information Solutions Headquarters

Americas: Rockwell Automation, 1201 South Second Street, Milwaukee, WI 53204 USA, Tel: (1) 414.382.2000, Fax: (1) 414.382.4444

Europe/Middle East/Africa: Rockwell Automation, Vorstlaan/Boulevard du Souverain 36, 1170 Brussels, Belgium, Tel: (32) 2 663 0600, Fax: (32) 2 663 0640

Asia Pacific: Rockwell Automation, Level 14, Core F, Cyberport 3, 100 Cyberport Road, Hong Kong, Tel: (852) 2887 4788, Fax: (852) 2508 1846